

Hasbrouck Mountain					
HSB10-001					
Final					
			Grades		
FROM	TO	INTERVAL	Gold	Silver	Gold Equivalent
meters	meters	meters	g/t	g/t	g/t
0	2	1.5	0.23	5.30	0.32
2	3	1.5	0.62	37.90	1.29
3	5	1.5	1.29	37.70	1.95
5	6	1.5	0.45	20.50	0.81
6	8	1.5	0.62	21.40	1.00
8	9	1.5	1.58	51.00	2.47
9	11	1.5	0.52	17.80	0.83
11	12	1.5	0.29	18.20	0.61
12	14	1.5	0.57	22.50	0.97
14	15	1.5	0.29	15.60	0.56
15	17	1.5	1.72	33.90	2.32
17	18	1.5	1.03	16.00	1.31
18	20	1.5	0.43	21.20	0.80
20	21	1.5	1.13	25.20	1.57
21	23	1.5	2.11	26.90	2.58
23	24	1.5	6.15	67.10	7.33
24	26	1.5	0.69	18.70	1.01
26	27	1.5	0.46	15.80	0.74
27	29	1.5	0.45	9.50	0.61
29	30	1.5	0.60	15.90	0.88
30	32	1.5	0.39	9.80	0.56
32	34	1.5	0.46	21.70	0.84
34	35	1.5	1.27	62.40	2.36
35	37	1.5	0.33	12.00	0.54
37	38	1.5	1.42	48.00	2.26
38	40	1.5	0.27	21.80	0.66
40	41	1.5	0.28	20.70	0.65
41	43	1.5	0.98	33.30	1.56
43	44	1.5	0.16	14.30	0.41
44	46	1.5	0.32	21.60	0.70
46	47	1.5	1.28	44.70	2.06
47	49	1.5	1.15	28.50	1.65
49	50	1.5	1.76	35.30	2.38
50	52	1.5	0.35	23.20	0.75
52	53	1.5	2.24	50.40	3.12
53	55	1.5	2.70	103.00	4.51
55	56	1.5	1.99	73.90	3.28
56	58	1.5	1.56	42.20	2.30
58	59	1.5	2.24	45.80	3.04
59	61	1.5	0.25	18.90	0.58
61	62	1.5	0.11	17.50	0.41
62	64	1.5	0.45	15.60	0.73
64	66	1.5	0.74	33.20	1.33
66	67	1.5	0.90	26.90	1.38
67	69	1.5	4.39	43.60	5.16
69	70	1.5	1.57	29.60	2.09
70	72	1.5	0.57	39.30	1.25
72	73	1.5	0.23	45.30	1.02
73	75	1.5	1.83	37.50	2.49
75	76	1.5	3.73	42.40	4.47
76	78	1.5	7.21	60.10	8.26
78	79	1.5	4.33	54.00	5.28
79	81	1.5	0.72	41.20	1.44
81	82	1.5	0.19	35.40	0.81
82	84	1.5	0.03	16.30	0.32
84	85	1.5	0.83	12.50	1.05
85	87	1.5	1.37	29.10	1.88
87	88	1.5	16.40	101.00	18.17
88	90	1.5	18.45	126.00	20.66
90	91	1.5	0.45	18.60	0.78
91	93	1.5	0.53	40.20	1.24
93	94	1.5	1.62	45.10	2.41
94	96	1.5	0.94	42.60	1.68
96	98	1.5	1.68	58.20	2.70
98	99	1.5	1.04	45.60	1.84
99	101	1.5	0.41	27.60	0.89
101	102	1.5	0.43	68.70	1.64
102	104	1.5	1.53	114.00	3.53
104	105	1.5	2.14	104.00	3.97

Hasbrouck Mountain					
HSB10-001					
<i>Final</i>					
			Grades		
FROM	TO	INTERVAL	Gold	Silver	Gold Equivalent
meters	meters	meters	g/t	g/t	g/t
105	107	1.5	0.68	70.00	1.91
107	108	1.5	0.46	50.20	1.34
108	110	1.5	0.61	37.80	1.27
110	111	1.5	1.42	30.50	1.95
111	113	1.5	0.77	21.40	1.14
113	114	1.5	0.29	21.10	0.66
114	116	1.5	0.62	17.20	0.92
116	117	1.5	0.49	14.30	0.74
117	119	1.5	0.84	16.10	1.12
119	120	1.5	0.42	14.60	0.68
120	122	1.5	0.44	11.50	0.64
122	123	1.5	0.29	9.70	0.46
123	125	1.5	0.24	7.90	0.37
125	126	1.5	0.34	8.80	0.49
126	128	1.5	0.39	8.70	0.54
128	130	1.5	0.30	33.30	0.88
130	131	1.5	1.81	85.70	3.31
131	133	1.5	0.55	47.70	1.39
133	134	1.5	0.86	46.50	1.68
134	135	0.9	0.32	31.90	0.88
135	137	1.5	Not Recovered		
137	137	0.6	0.38	19.70	0.73
137	139	1.5	0.45	10.70	0.64
139	140	1.5	0.28	6.20	0.39
140	142	1.5	0.20	6.40	0.31
142	143	1.5	0.49	6.60	0.60
143	145	1.5	0.26	6.00	0.36
145	146	1.5	0.22	8.00	0.36
146	148	1.5	0.23	6.40	0.34
148	149	1.5	0.29	9.80	0.46

Hasbrouck Mountain					
HSB10-002					
<i>Final</i>					
FROM	TO	INTERVAL	Gold	Silver	Gold Equivalent
meters	meters	meters	g/t	g/t	g/t
0.0	1.5	1.5	0.934	11.7	1.139
1.5	3.0	1.5	0.286	7.3	0.414
3.0	4.6	1.5	0.395	7.9	0.534
4.6	6.1	1.5	0.137	7.4	0.267
6.1	7.6	1.5	1.64	28.9	2.147
7.6	9.1	1.5	0.347	10.4	0.529
9.1	10.7	1.5	0.194	5.1	0.283
10.7	12.2	1.5	0.365	9.5	0.532
12.2	13.7	1.5	0.35	11.6	0.554
13.7	15.2	1.5	0.841	14.4	1.094
15.2	16.8	1.5	0.365	10.1	0.542
16.8	18.3	1.5	0.319	4.3	0.394
18.3	19.8	1.5	1.455	24.7	1.888
19.8	21.3	1.5	0.59	14.8	0.850
21.3	22.9	1.5	0.177	7.5	0.309
22.9	24.4	1.5	0.351	9.7	0.521
24.4	25.9	1.5	1.185	16.5	1.474
25.9	27.4	1.5	0.565	8.9	0.721
27.4	29.0	1.5	1.255	6.9	1.376
29.0	30.5	1.5	0.799	8.3	0.945
30.5	32.0	1.5	0.318	7	0.441
32.0	33.5	1.5	0.355	7.4	0.485
33.5	35.1	1.5	0.307	5.8	0.409
35.1	36.6	1.5	0.355	5.9	0.459
36.6	38.1	1.5	0.775	17.7	1.086
38.1	39.6	1.5	0.257	5.8	0.359
39.6	41.1	1.5	0.763	19.3	1.102
41.1	42.7	1.5	3.72	79.3	5.111
42.7	44.2	1.5	1.135	21.9	1.519
44.2	45.7	1.5	0.249	11	0.442
45.7	47.2	1.5	0.232	6.9	0.353
47.2	48.8	1.5	1.06	16.8	1.355
48.8	50.3	1.5	0.243	10.6	0.429
50.3	51.8	1.5	1.68	28.1	2.173
51.8	53.3	1.5	0.551	18	0.867
53.3	54.9	1.5	0.375	12.1	0.587
54.9	56.4	1.5	0.364	8.4	0.511
56.4	57.9	1.5	0.929	19.1	1.264
57.9	59.4	1.5	0.158	5.4	0.253
59.4	61.0	1.5	0.31	10.2	0.489

Hasbrouck Mountain					
HSB10-002					
<i>Final</i>					
FROM	TO	INTERVAL	Gold	Silver	Gold Equivalent
meters	meters	meters	g/t	g/t	g/t
61.0	62.5	1.5	0.291	7.3	0.419
62.5	64.0	1.5	1.12	11	1.313
64.0	65.5	1.5	1.67	30.1	2.198
65.5	67.1	1.5	0.414	6.3	0.525
67.1	68.6	1.5	0.107	5.1	0.196
68.6	70.1	1.5	0.83	26.8	1.300
70.1	71.6	1.5	0.436	11.7	0.641
71.6	73.2	1.5	1.03	18.9	1.362
73.2	74.7	1.5	1.04	12.9	1.266
74.7	76.2	1.5	1.48	36.9	2.127
76.2	77.7	1.5	1.075	25.3	1.519
77.7	79.2	1.5	1.285	12.6	1.506
79.2	80.8	1.5	2.44	31.9	3.000
80.8	82.3	1.5	1.065	27.1	1.540
82.3	83.8	1.5	0.416	20.1	0.769
83.8	85.3	1.5	0.371	14.7	0.629
85.3	86.9	1.5	1.14	31.3	1.689
86.9	88.4	1.5	2.33	49.2	3.193
88.4	89.9	1.5	1.575	31.6	2.129
89.9	91.4	1.5	2.91	43.6	3.675
91.4	93.0	1.5	1.875	58.9	2.908
93.0	94.5	1.5	1.175	43.5	1.938
94.5	96.0	1.5	1.62	34	2.216
96.0	97.5	1.5	0.811	29.8	1.334
97.5	99.1	1.5	0.501	31	1.045
99.1	100.6	1.5	0.447	21.9	0.831
100.6	102.1	1.5	1.005	23.9	1.424
102.1	103.6	1.5	0.249	12.9	0.475
103.6	105.2	1.5	0.448	20.5	0.808
105.2	106.7	1.5	0.82	24.2	1.245
106.7	108.2	1.5	0.749	17.4	1.054
108.2	109.7	1.5	0.78	25.5	1.227
109.7	111.3	1.5	0.62	22.6	1.016
111.3	112.8	1.5	1.145	50.4	2.029
112.8	114.3	1.5	0.606	19.6	0.950
114.3	115.8	1.5	0.329	17.4	0.634
115.8	117.3	1.5	0.335	13.4	0.570
117.3	118.9	1.5	0.265	17.4	0.570
118.9	120.4	1.5	0.995	55.6	1.970
120.4	121.9	1.5	0.231	8.1	0.373
121.9	123.4	1.5	0.78	13.9	1.024

<b>Hasbrouck Mountain</b>					
<b>HSB10-002</b>					
<i>Final</i>					
<b>FROM</b>	<b>TO</b>	<b>INTERVAL</b>	<b>Gold</b>	<b>Silver</b>	<b>Gold Equivalent</b>
meters	meters	meters	g/t	g/t	g/t
123.4	125.0	1.5	0.093	11	0.286
125.0	126.5	1.5	0.136	6.8	0.255
126.5	128.0	1.5	0.19	10.7	0.378
128.0	129.5	1.5	0.564	26.5	1.029
129.5	131.1	1.5	0.436	12	0.647
131.1	132.6	1.5	0.499	24.6	0.931
132.6	134.1	1.5	0.818	17.9	1.132
134.1	135.6	1.5	0.574	10.8	0.763
135.6	137.2	1.5	0.355	12.8	0.580
137.2	138.7	1.5	0.493	12.4	0.711
138.7	140.2	1.5	0.215	10.5	0.399
140.2	141.7	1.5	0.495	12.3	0.711
141.7	143.3	1.5	0.411	10.1	0.588
143.3	144.8	1.5	0.32	9.6	0.488
144.8	146.3	1.5	0.294	7.9	0.433
146.3	148.0	1.7	0.418	9.6	0.586

Hasbrouck Mountain					
HSB10-003					
FROM	TO	INTERVAL	Grades		
			Gold	Silver	Gold Equivalent
meters	meters	meters	g/t	g/t	g/t
29.0	30.5	1.5	0.086	7.5	0.218
30.5	32.0	1.5	0.131	7.6	0.264
32.0	33.5	1.5	0.139	11.2	0.335
33.5	35.1	1.5	0.176	10.7	0.364
35.1	36.6	1.5	0.361	15.3	0.629
36.6	38.1	1.5	0.18	9	0.338
38.1	39.6	1.5	0.145	9.1	0.305
39.6	41.1	1.5	0.25	7.2	0.376
41.1	42.7	1.5	0.358	18.6	0.684
42.7	44.2	1.5	0.29	18	0.606
44.2	45.7	1.5	0.245	11.9	0.454
45.7	47.2	1.5	0.13	6.6	0.246
47.2	48.8	1.5	0.373	13.8	0.615
48.8	50.3	1.5	2.06	82.6	3.509
50.3	51.8	1.5	0.889	18.2	1.208
51.8	53.3	1.5	0.808	11	1.001
53.3	54.9	1.5	0.322	34.5	0.927
54.9	56.4	1.5	0.257	9	0.415
56.4	57.9	1.5	0.785	17.8	1.097
57.9	59.4	1.5	0.391	17.1	0.691
59.4	61.0	1.5	0.652	68.6	1.856
61.0	62.5	1.5	0.457	24.7	0.890
62.5	64.0	1.5	0.261	16.5	0.550
64.0	65.5	1.5	0.221	9.9	0.395
65.5	67.1	1.5	0.247	11.9	0.456
67.1	68.6	1.5	0.617	18.9	0.949
68.6	70.1	1.5	0.283	14.1	0.530
70.1	71.6	1.5	0.369	10.8	0.558
71.6	73.2	1.5	0.458	9.1	0.618
73.2	74.7	1.5	0.539	9	0.697
74.7	76.2	1.5	1.845	23.7	2.261
76.2	77.7	1.5	1.51	16.9	1.806
77.7	79.2	1.5	2.23	31.9	2.790
79.2	80.8	1.5	0.59	11.1	0.785
80.8	82.3	1.5	0.219	7.3	0.347
82.3	83.8	1.5	0.89	17.4	1.195
83.8	85.3	1.5	0.113	10.8	0.302
85.3	86.9	1.5	0.243	9.7	0.413
86.9	88.4	1.5	0.427	29.2	0.939
88.4	89.9	1.5	0.244	12.9	0.470
89.9	91.4	1.5	0.315	13.3	0.548

Hasbrouck Mountain					
HSB10-003					
FROM	TO	INTERVAL	Grades		
			Gold	Silver	Gold Equivalent
meters	meters	meters	g/t	g/t	g/t
91.4	93.0	1.5	0.231	17.9	0.545
93.0	94.5	1.5	0.828	17.9	1.142
94.5	96.0	1.5	0.204	6.6	0.320
96.0	97.5	1.5	0.262	9.7	0.432
97.5	99.1	1.5	0.422	6.9	0.543
99.1	100.6	1.5	0.296	8.9	0.452
100.6	102.1	1.5	1.54	16.4	1.828
102.1	103.6	1.5	2.75	14.5	3.004
103.6	105.2	1.5	4.05	45.7	4.852
105.2	106.7	1.5	4.56	50.5	5.446
106.7	108.2	1.5	2.35	24	2.771
108.2	109.7	1.5	0.871	18.5	1.196
109.7	111.3	1.5	0.698	16.2	0.982
111.3	112.8	1.5	0.494	13.2	0.726
112.8	114.3	1.5	1.075	17.2	1.377
114.3	115.8	1.5	0.406	87.4	1.939
115.8	117.3	1.5	3.4	39.7	4.096
117.3	118.9	1.5	0.42	12.2	0.634
118.9	120.4	1.5	0.35	13	0.578
120.4	121.9	1.5	0.352	10.5	0.536
121.9	123.4	1.5	0.482	16.3	0.768
123.4	125.0	1.5	0.294	11.7	0.499
125.0	126.5	1.5	0.314	12.3	0.530
126.5	128.0	1.5	0.288	18.2	0.607
128.0	129.5	1.5	0.37	24.1	0.793
129.5	131.1	1.5	0.443	20.1	0.796
131.1	132.6	1.5	1.27	21.1	1.640
132.6	134.1	1.5	3.12	38.1	3.788
134.1	135.6	1.5	1.72	17.5	2.027
135.6	137.2	1.5	1.435	16.8	1.730
137.2	138.7	1.5	0.532	15.4	0.802
138.7	140.2	1.5	0.339	10.2	0.518
140.2	141.7	1.5	0.439	11.3	0.637
141.7	143.3	1.5	0.627	15.3	0.895
143.3	144.8	1.5	0.572	15.2	0.839
144.8	146.3	1.5	0.584	13.7	0.824
146.3	147.8	1.5	0.308	12.7	0.531
147.8	149.4	1.5	0.643	28.1	1.136
149.4	150.9	1.5	0.424	23.5	0.836
150.9	152.4	1.5	0.274	19.3	0.613
152.4	153.9	1.5	0.142	15.6	0.416

Hasbrouck Mountain					
HSB10-003					
FROM	TO	INTERVAL	Grades		
			Gold	Silver	Gold Equivalent
meters	meters	meters	g/t	g/t	g/t
153.9	155.4	1.5	0.39	10.5	0.574
155.4	157.0	1.5	0.156	8.7	0.309
157.0	158.5	1.5	0.219	7.4	0.349
158.5	160.0	1.5	0.424	4.8	0.508
160.0	161.5	1.5	0.049	3.4	0.109
161.5	163.1	1.5	0.02	3.9	0.088
163.1	164.6	1.5	0.052	3.2	0.108
164.6	166.1	1.5	0.181	13.3	0.414
166.1	167.6	1.5	0.326	22.6	0.722
167.6	169.2	1.5	0.552	20.3	0.908
169.2	170.7	1.5	0.187	7.1	0.312
170.7	172.2	1.5	0.097	5.9	0.201
172.2	173.7	1.5	0.048	4.4	0.125
173.7	175.3	1.5	0.217	6.3	0.328
175.3	176.8	1.5	0.262	10.1	0.439
176.8	178.3	1.5	0.159	6.4	0.271
178.3	179.8	1.5	0.148	4.2	0.222
179.8	181.4	1.5	0.041	2	0.076
181.4	182.9	1.5	0.14	0.9	0.156
182.9	184.4	1.5	0.017	0.6	0.028
184.4	185.9	1.5	0.005	0.6	0.016
185.9	187.5	1.5	0.009	1	0.027
187.5	189.0	1.5	0.017	2.1	0.054
189.0	190.5	1.5	0.091	4.5	0.170
190.5	192.0	1.5	1.525	15.1	1.790
192.0	193.5	1.5	0.285	21.8	0.667
193.5	195.1	1.5	0.296	18.6	0.622
195.1	196.6	1.5	0.612	20.3	0.968
196.6	198.1	1.5	0.243	12.7	0.466
198.1	199.6	1.5	0.093	5.4	0.188
199.6	201.2	1.5	0.099	7.2	0.225
201.2	202.7	1.5	0.092	8.5	0.241
202.7	204.2	1.5	0.134	14.4	0.387
204.2	205.7	1.5	0.139	10.4	0.321
205.7	207.3	1.5	0.131	3.5	0.192
207.3	208.8	1.5	0.021	4	0.091
208.8	210.3	1.5	0.034	3	0.087
210.3	211.8	1.5	0.017	9	0.175
211.8	213.4	1.5	0.118	9.3	0.281
213.4	214.9	1.5	0.231	16.6	0.522